



ZODIAC HURRICANE CZ SERIES



Zodiac Hurricane introduces the CZ series; original cross over RIB platforms from Military Special Forces use to civilian use. The original platform at the heart of the CZ series have been used by “spec ops” forces around the world as the definitive outboard powered high speed assault boats for many years. Ranging from 7 to 11m, they are a natural choice to be the civilian weekend warrior’s boat that is truly the 4x4 of the seas.

The Zodiac Hurricane CZ7 is the utmost and ultimate adventure boat, born from the long and successful history of Zodiac Hurricane military and professional products. With its CZ line, Zodiac Hurricane brings to the private owner the technology and performance so far reserved to the military forces around the world.


Considered the finest craft of their type in the world, the Zodiac Hurricane range of RIBS are used by the most knowledgeable and discriminating operators who demand the utmost in ruggedness and reliability.

The CZ is the reference boat for users in search of performance and sensations on a machine that has proven its reliability, safety and serviceability in the utmost demanding conditions.





General Specifications



Physical Characteristics

	CZ7	CZ8	CZ9	CZ11
Length Overall (*excludes motors)	8.04m (26'4")	8.53m (28')	9.60m (31'6")	11m (36'1")
Beam Max (* with collar inflated)	2.74m (9'0")	2.90m (9'6")	3.10m (10'2")	3.53m (11'7")
HULL	GRP	GRP	GRP - MACH II	GRP - MACH II
Mitigated Seating	4-6	4-6	4-8	4-12
Max HP	2 x 200HP	2 x 300HP	2 x 350HP	3 x 300HP
Full Capacity L (USGal)	500 (130)	660 (175)	800 (210)	1100 (280)
Cruise Speed	30.5knots	31.8knots	35knots	36knots
Range @ Cruise Speed	250NM	250NM	280NM	400NM
Max Speed	47.5 knots	50knots	55 knots	56 knots

Note: Each boat is subject to national regulations in regards to trailers and specific truck/trailer driver licenses.



Boat Description (Includes Additional Upgrade Package)

Hull/Deck

- Fiberglass hull and deck (black) – Vinylester resin (fire retardant upgrade) with ISO6185 foam floatation
- Non-slip deck
- Bow and tow posts
- Kevlar full length beaching shoe
- SS recessed bow eye
- Bow/keel mounted Posi-latch

Collar

- Five (5) to seven (7) chambers, 22” diameter, 1670 dtx Neoprene/Hypalon inflatable tube – black
- Over-pressure relief valves
- Full-length black double-braided nylon lifeline on D-Ring patches
- Collar accessories – tube handles, six (6) ThreadMaster step treads, rubbing strakes
- Intercommunicating inflation/deflation valves
- Bow protection skirt
- Heavy duty Collar upgrade package – two (2) extra rubstrakes, two (2) pair step tread, mooring D-rings, two (2) pairs of handles.
- 12VDC Auto-inflation system

Console/Seating

- Console with roof, windshield.
- Shock mitigating coxswain and navigator seats with fore/aft adjustment, folding armrest
- 2x shock mitigating seats for passengers

Equipment

- Below deck cable routing,
- Two (2) SS transom tie-down eyes
- Folding anchor light.
- Aluminum access hatches fitted with resilient gasketing and compression latches
- Stainless steel recessed bow eye and two heavy-duty stainless steel transom tie-downs
- Mooring/towing – two (2) transom cleats, tow post and bow post.
- Folding aft frame (no SR) for radar and lights
- Under deck access hatch to aft hull cavity.
- 2 1/2 pound fire extinguisher and stowage
- Anchor with rode and installation
- Radar frame with ski tow point (all wiring inside frame)

Bilge pumping/draining

- High capacity deck drains fitted w/ scupper trunks.
- Electric bilge pump with automatic switch.

Hoisting

- Integral SS hoisting fittings. (four (4) points)
- Polyester webbing lift sling.
- Overload hoisting test



Electrical

- 12 VDC electrical system (13 circuit) with waterproofed circuit breakers and switches
- Two (2) battery banks (Optima D34M batteries) with selector/isolator switches.
- Dimmer switch (2) - instrument lights and compass light.
- Two (2) Accessory plugs (marine and cigarette lighter style)
- Fixed flood lights on aft arch
- Handheld/fixed searchlights and fixed flood lights on arch.
- Shore-power system with battery charger – 230 VAC

Navigation/communications

- Navigation lights
- Electric horn
- Magnetic compass
- Standard Nav/Com package: VHF, GPS, Radar, AIS etc... - customer specified
- Custom Nav/Com package available

Fuel system

- Roto-molded polyethylene fuel tanks – 322 liters (85 US gal) and 378 liters (100 US gal)
- Selector valves to allow either engine to be supplied from either tank.
- Fuel/water separators.
- Fuel level gauge
- Extended fuel capacity available

Propulsion

- Twin or triple OB Engines, 400hp to 900hp
- Hydraulic steering

Shipping

- Shipping preparation
- Shrink wrap
- Wooden shipping cradle

ADDITIONAL OPTIONS AVAILABLE

- Fastener upgrade to metric sizes from imperial
- Post Delivery Orientation: commissioning, introductory vessel instruction, systems operation and recommended maintenance held on location
- ZHT Adventure Crafts Training

